



Supplementary Material

Influence of Photoperiod and Shelter on Some Phenotypic Traits in African Catfish (*Clarias Gariepinus* Burchell 1822) Larvae


Ahmed Saud Alsaqufi¹, Sheikh Mustafizur Rahman^{2,3*}, Roshmon Thomas Mathew², Yousef Ahmed Alkhamis^{1,2}, Md. Moshirur Rahman^{3,4} and Muhammed Aslam Pathiri²

¹Agriculture and Food Sciences College, King Faisal University, Hofuf-420, Zip 31982, Al-Ahsa, Kingdom of Saudi Arabia.

²Fish Resources Research Center, King Faisal University, Hofuf-420, Al-Ahsa, Zip 31982, Kingdom of Saudi Arabia

³Fisheries and Marine Resource Technology Discipline, Khulna University, Khulna-9208, Bangladesh

⁴Tokyo University of Marine Science and Technology, Tokyo, Japan.



Supplementary Fig. A1. Loading contribution of different measured morphological traits in the first Principal Component (PC1) during the Principal Component Analysis (PCA).

Supplementary Fig. A2. Loading contribution of different measured morphological traits in the second Principal Component (PC2) during the Principal Component Analysis (PCA).

* Corresponding author: mustafizfrmt@yahoo.com, srahman@kfu.edu.sa
0030-9923/2021/0004-1509 \$ 9.00/0
Copyright 2021 Zoological Society of Pakistan